



GRAND-SUN



**青岛鑫盛昊阳工贸有限公司**

QINGDAO GOLDEN GRAND-SUN ENTERPRISE CO.,LTD.  
GRAND-SUN ENTERPRISE CO.,LTD.

中国·青岛  
QINGDDAO·CHINA



# 企业简介

## COMPANY INTRODUCTION

青岛鑫盛昊阳工贸有限公司创始于1998年，坐落于青岛胶南市新华路。自创建以来，青岛鑫盛昊阳工贸有限公司秉承“诚信者成功，勤劳者获益”的企业理念，坚持“以管理创造效益、以创新促进发展、以质量谋求生存、以人为本竞争未来”的经营理念，经过多年的努力，现已经发展成为集生产和出口各类手推车、工具车、金属制品、塑料制品、橡胶制品、物流器械、园艺工具等的综合型企业，成为全球最大的手推车、工具车制造基地之一。

我们的产品出口全球八十多个国家和地区。我们的产品已经成为最畅销的产品，获得了客户的一致好评！

我们始终坚信质量决定成功！真诚希望与全世界的朋友们建立良好的合作关系！

Qingdao Golden Grand-sun Enterprise Co.,Ltd. (Grand-sun Enterprise Co.,Ltd.) was established in 1998 and is located in Xinhua road, jiaonan,Qingdao.In the corporate philosophy of "Sincerity and Credit Make Success While Diligence Makes Benefit"and the business philosophy of "Create Benefit by Management,Develop by Innovation, Su by Talents",our company has developed into one of the largest wheel barrow and tool cart manufacturing bases in the world and a comlex producing and exporting wheel barrows, tool carts, metal, plastic and rubber products, logistic instruments and garden tools over years of efforts since its establishment.

Our products have been exported to over 80 countries, our carts have become the most popular products in our customers and achieve favourable comment conformably!

Our company believe"Quality create Success"!Sinerely we hope build good cooperation relations with fridends all over the world!



PAHS&REACH








# 产品目录

## PRODUCT CATALOG

手推车 / WHEEL BARROW .....	01-24
平板推车 / PLATFORM HAND TRUCK .....	25-26
服务车 / SERVICE CART .....	27-29
货仓车 / HAND TROLLEY .....	30-37
工具车 / TOOL CART .....	38-40
水车 / WATER CART .....	41
垃圾桶 / GARBAGE CAN .....	42-43
脚轮 / CASTOR .....	44-47
轮胎 / TYRE .....	48-55





WB0101



WB0102

WB0103 (WB0102D)



WB0100

Load Capacity(kg):5  
Own Weight(kg):2.5  
Water capacity(L):10  
Sand Capacity(CBF):0.4  
Wheel:5.5 " x1 "  
L/H/C(mm):735x385x385  
A/B/h(mm):490x370x98



WB0101

Load Capacity(kg):5  
Own Weight(kg):2.2  
Water capacity(L):10  
Sand Capacity(CBF):0.4  
Wheel:7 " x2.5 "  
L/H/C(mm):745x390x355  
A/B/h(mm):490x370x98



WB0102

Load Capacity(kg):5  
Own Weight(kg):2.3  
Water capacity(L):9  
Sand Capacity(CBF):0.4  
Wheel:6.5 " x2.4 "  
L/H/C(mm):790x365x370  
A/B/h(mm):475x370x110



WB0103 (WB0102D)

Load Capacity(kg):15  
Own Weight(kg):2.6  
Water capacity(L):9  
Sand Capacity(CBF):0.4  
Wheel:6.5 " x2.4 "  
L/H/C(mm):720x350x215  
A/B/h(mm):475x370x110

WB0200

Load Capacity(kg):10  
Own Weight(kg):5  
Water capacity(L):22  
Sand Capacity(CBF):0.6  
Wheel:8"x1.75 "  
L/H/C(mm):840x330x310  
A/B/h(mm):590x430x235



WB0201

Load Capacity(kg):10  
Own Weight(kg):5  
Water capacity(L):20  
Sand Capacity(CBF):0.6  
Wheel:8 " x1.75 "  
L/H/C(mm):860x340x300  
A/B/h(mm):590x430x225



WB0202

Load Capacity(kg):10  
Own Weight(kg):5.8  
Water capacity(L):20  
Sand Capacity(CBF):0.6  
Wheel:8 " x1.75 "  
L/H/C(mm):840x713x330  
A/B/h(mm):590x430x225



WB0205

Load Capacity(kg):5  
Own Weight(kg):2.5  
Water capacity(L):10  
Sand Capacity(CBF):0.4  
Wheel:5.5 " x1 "  
L/H/C(mm):735x365x330  
A/B/h(mm):465x380x125





■ WB2200

Load Capacity(kg):120  
Own Weight(kg):9.8  
Water capacity(L):50  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1320x540x500  
A/B/h(mm):775x495x235



■ WB2206

Load Capacity(kg):120  
Own Weight(kg):10.5  
Water capacity(L):58  
Sand Capacity(CBF):5  
Wheel:3.25-8  
L/H/C(mm):1355x645x546  
A/B/h(mm):775x495x235



■ WB2201

Load Capacity(kg):120  
Own Weight(kg):10.2  
Water capacity(L):60  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1320x540x520  
A/B/h(mm):775x495x235



■ WB2500



■ WB2501



■ WB2203-2

■ WB2500

Load Capacity(kg):120  
Own Weight(kg):12.4  
Water capacity(L):60  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1310x550x490  
A/B/h(mm):775x495x235

■ WB2501

Load Capacity(kg):120  
Own Weight(kg):12.8  
Water capacity(L):60  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1310x550x555  
A/B/h(mm):775x495x235



■ WB3800

■ WB2203-2

Load Capacity(kg):120  
Own Weight(kg):10.2  
Water capacity(L):60  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1280x485x520  
A/B/h(mm):783x499x325

■ WB3800

Load Capacity(kg):100  
Own Weight(kg):12.7  
Water capacity(L):60  
Sand Capacity(CBF):4  
Wheel:13" x3"  
L/H/C(mm):1380x540x450  
A/B/h(mm):830x615x245



■ WB3806

■ WB3806

Load Capacity(kg):100  
Own Weight(kg):12  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1405x540x450  
A/B/h(mm):820x660x210

■ WB3807

Load Capacity(kg):100  
Own Weight(kg):11.8  
Water capacity(L):40  
Sand Capacity(CBF):3.5  
Wheel:13" x3"  
L/H/C(mm):1360x540x455  
A/B/h(mm):780x705x155



■ WB3807



■ **WB5205**

Load Capacity(kg):100  
Own Weight(kg):8.5  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:13 " x3 "  
L/H/C(mm):1250x640x565  
A/B/h(mm):805x605x200



■ **WB5211**

Load Capacity(kg):120  
Own Weight(kg):14  
Water capacity(L):55  
Sand Capacity(CBF):4.5  
Wheel:3.00-7  
L/H/C(mm):1310x660x580  
A/B/h(mm):790x572x220



■ **WB6220**

Load Capacity(kg):130  
Own Weight(kg):10  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:3.25-8  
L/H/C(mm):1355x645x546  
A/B/h(mm):820x660x210



■ **WB6200**

Load Capacity(kg):130  
Own Weight(kg):10  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:13 " x3 "  
L/H/C(mm):1400x460x560  
A/B/h(mm):820x660x210



■ **WB5688**

Load Capacity(kg):120  
Own Weight(kg):15  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:4.00-8  
L/H/C(mm):1550x560x545  
A/B/h(mm):895x630x235



■ **WB6201**

Load Capacity(kg):130  
Own Weight(kg):10  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:13 " x3 "  
L/H/C(mm):1400x460x560  
A/B/h(mm):820x660x210



■ **WB4400**

Load Capacity(kg):120  
Own Weight(kg):12  
Water capacity(L):46  
Sand Capacity(CBF):3.5  
Wheel:3.50-8  
L/H/C(mm):1390x565x550  
A/B/h(mm):835x635x195





■ **WB6401**  
Load Capacity(kg):130  
Own Weight(kg):12.2  
Water capacity(L):75  
Sand Capacity(CBF):6  
Wheel:14" x4"  
L/H/C(mm):1490x495x545  
A/B/h(mm):980x560x255



■ **WB4688**  
Load Capacity(kg):120  
Own Weight(kg):14  
Water capacity(L):86  
Sand Capacity(CBF):5  
Wheel:4.00-8  
L/H/C(mm):1550x560x545  
A/B/h(mm):925x685x235



■ **WB6402**  
Load Capacity(kg):130  
Own Weight(kg):17.8  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:14" x4"  
L/H/C(mm):1370x661x450  
A/B/h(mm):820x660x210



■ **WB6404 (WB6404A-1)**  
Load Capacity(kg):130  
Own Weight(kg):14.3  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:3.50-8  
L/H/C(mm):1420x640x560  
A/B/h(mm):888x565x230



■ **WB6409 (WB6404T)**  
Load Capacity(kg):160  
Own Weight(kg):13  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:16" x4"  
L/H/C(mm):1385x510x535  
A/B/h(mm):875x595x285



■ **WB6400**  
Load Capacity(kg):130  
Own Weight(kg):10  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:14" x4"  
L/H/C(mm):1430x515x527  
A/B/h(mm):830x670x215



■ **WB6411 (WB6407D)**  
Load Capacity(kg):120  
Own Weight(kg):11.8  
Water capacity(L):60  
Sand Capacity(CBF):5  
Wheel:3.50-8  
L/H/C(mm):1380x455x600  
A/B/h(mm):800x647x215





#### ■ WB6500

Load Capacity(kg):130  
Own Weight(kg):12.4  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1395x460x538  
A/B/h(mm):820x660x210

#### ■ WB7200

Load Capacity(kg):160  
Own Weight(kg):10.3  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1440x480x510  
A/B/h(mm):895x645x235

#### ■ WB7400

Load Capacity(kg):160  
Own Weight(kg):11  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:14" x4"  
L/H/C(mm):1470x440x520  
A/B/h(mm):895x645x235

#### ■ WB7402 (WB7400B)

Load Capacity(kg):160  
Own Weight(kg):17  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:4.00-8  
L/H/C(mm):1490x620x490  
A/B/h(mm):960x633x296

#### ■ WB7403 (WB7400B-1)

Load Capacity(kg):160  
Own Weight(kg):17  
Water capacity(L):80  
Sand Capacity(CBF):6  
Wheel:4.00-8  
L/H/C(mm):1500x645x550  
A/B/h(mm):975x670x275

#### ■ WB7406

Load Capacity(kg):150  
Own Weight(kg):16  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:400-8  
L/H/C(mm):1505x640x495  
A/B/h(mm):895x645x235

#### ■ WB7404 (WB7400R)

Load Capacity(kg):150  
Own Weight(kg):13  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:4.00-8  
L/H/C(mm):1605x505x545  
A/B/h(mm):895x645x235

#### ■ WB7401

Load Capacity(kg):160  
Own Weight(kg):12.6  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:14" x4"  
L/H/C(mm):1455x510x510  
A/B/h(mm):895x645x235





■ WB7408

■ **WB7408** Load Capacity(kg):150  
Own Weight(kg):15  
Water capacity(L):58  
Sand Capacity(CBF):4  
Wheel:400-8  
L/H/C(mm):1600x500x540  
A/B/h(mm):930x680x185



■ WB7500

■ **WB7500** Load Capacity(kg):160  
Own Weight(kg):13.4  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1440x485x517  
A/B/h(mm):895x645x235



■ WB7601

■ **WB7601** Load Capacity(kg):160  
Own Weight(kg):15  
Water capacity(L):90  
Sand Capacity(CBF):7  
Wheel:4.00-8  
L/H/C(mm):1640x510x560  
A/B/h(mm):1030x875x270



■ WB8600

■ **WB8600** Load Capacity(kg):200  
Own Weight(kg):25  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1630x555x565  
A/B/h(mm):980x633x296



■ **WB8608 (WB8600GS)**

Load Capacity(kg):200  
Own Weight(kg):30  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:4.00-8  
L/H/C(mm):1680x660x530  
A/B/h(mm):980x633x296



■ **WB8605 (WB8600JZ)**

Load Capacity(kg):260  
Own Weight(kg):29  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1700x645x685  
A/B/h(mm):970x645x285



■ **WB8607**

Load Capacity(kg):130  
Own Weight(kg):18.2  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:4.50-8  
L/H/C(mm):1575x440x560  
A/B/h(mm):980x633x296



■ WB5405

Load Capacity(kg):120  
Own Weight(kg):12.5  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:400-8  
L/H/C(mm):1240x660x705  
A/B/h(mm):910x630x298



■ WB6207 (WB6200S)

Load Capacity(kg):80  
Own Weight(kg):11  
Water capacity(L):65  
Sand Capacity(CBF) 5  
Wheel:13" x3"  
L/H/C(mm):1400x460x540  
A/B/h(mm):620x690x250



■ WB5600

■ WB5600

Load Capacity(kg):100  
Own Weight(kg):13  
Water capacity(L):72  
Sand Capacity(CBF):5  
Wheel:4.00-8  
L/H/C(mm):1490x585x505  
A/B/h(mm):1090x600x270

■ WB5601

Load Capacity(kg):100  
Own Weight(kg):15.8  
Water capacity(L):72  
Sand Capacity(CBF):5  
Wheel:16" x4"  
L/H/C(mm):1585x520x520  
A/B/h(mm):1090x600x270

■ WB6435 (WB6404S)

Load Capacity(kg):160  
Own Weight(kg):11  
Water capacity(L):85  
Sand Capacity(CBF):5.5  
Wheel:16" x4"  
L/H/C(mm):1425x525x490  
A/B/h(mm):1000x600x330



■ WB5601



■ WB6435 (WB6404S)







## ■ WB6414

Load Capacity(kg):160  
Own Weight(kg):11.8  
Water capacity(L):85  
Sand Capacity(CBF):5.5  
Wheel:16" x4"  
L/H/C(mm):1450x580x600  
A/B/h(mm):1000x600x330



## ■ WB6414-1

Load Capacity(kg):160  
Own Weight(kg):11.8  
Water capacity(L):85  
Sand Capacity(CBF):5.5  
Wheel:4.00-8  
L/H/C(mm):1450x620x565  
A/B/h(mm):1000x600x330



## ■ WB6423 (WB6424P)

Load Capacity(kg):80  
Own Weight(kg):13.7  
Water capacity(L):55  
Sand Capacity(CBF):4.5  
Wheel:13" x3"  
L/H/C(mm):1370x710  
A/B/h(mm):905x678x267



## ■ WB6434 (WB6424S)

Load Capacity(kg):150  
Own Weight(kg):11.4  
Water capacity(L):85  
Sand Capacity(CBF):5.5  
Wheel:4.00-8  
L/H/C(mm):1450x585x590  
A/B/h(mm):946x612x325



## ■ WB6437 (WB6424T)

Load Capacity(kg):120  
Own Weight(kg):11  
Water capacity(L):60  
Sand Capacity(CBF):4.5  
Wheel:4.80/4.00-8  
L/H/C(mm):1487x560x590  
A/B/h(mm):905x678x267



## ■ WB6427

Load Capacity(kg):100  
Own Weight(kg):9.6  
Water capacity(L):55  
Sand Capacity(CBF):4.5  
Wheel:4.00-8  
L/H/C(mm):1300x615x570  
A/B/h(mm):905x678x267



## ■ WB6600

Load Capacity(kg):150  
Own Weight(kg):15.6  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1530x540x500  
A/B/h(mm):1015x680x335





■ **WB6305 (WB7800WG)**

Load Capacity(kg):180  
Own Weight(kg):21  
Water capacity(L):120  
Sand Capacity(CBF):6.5  
Wheel:4.00-8  
L/H/C(mm):1435x720x585  
A/B/h(mm):985x700x375

■ **WH7601**

Load Capacity(kg):150  
Own Weight(kg):17.6  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1500x640x575  
A/B/h(mm):1015x680x335

■ **WB7800**

Load Capacity(kg):150  
Own Weight(kg):14.2  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:4.50-8  
L/H/C(mm):1540x480x535  
A/B/h(mm):1015x680x335

■ **WB6304 (WB7800W)**

Load Capacity(kg):150  
Own Weight(kg):20  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:4.80/4.00-8  
L/H/C(mm):1585x525x535  
A/B/h(mm):1015x680x335

■ **WH6606 (WH6600S)**

Load Capacity(kg):150  
Own Weight(kg):13.4  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1510x530x550  
A/B/h(mm):1015x680x335



■ **WH7601**



■ **WB7800**



■ **WB6304 (WB7800W)**



■ **WH6606 (WH6600S)**



■ **WB7202 (WB200S)**

Load Capacity(kg):130  
Own Weight(kg):10  
Water capacity(L):78  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1440x480x510  
A/B/h(mm):910x630x298



■ **WB7801**

Load Capacity(kg):150  
Own Weight(kg):16.6  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1540x585x530  
A/B/h(mm):1015x633x296



■ **WH7801**

Load Capacity(kg):200  
Own Weight(kg):20.7  
Water capacity(L):97  
Sand Capacity(CBF):6  
Wheel:4.50-8  
L/H/C(mm):1580x500x525  
A/B/h(mm):975x670x275





■ WB7804 (WB7801-1)



■ WH7807 (WH7801-1f)



■ WB7802



■ WH7804



■ WB8606 (WB8603S)



■ WB8612

■ WB7804 (WB7801-1)

Load Capacity(kg):150  
Own Weight(kg):14.5  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1498x517x550  
A/B/h(mm):960x705x310

■ WH7807 (WH7801-1f)

Load Capacity(kg):150  
Own Weight(kg):17  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1455x575x540  
A/B/h(mm):965x705x350

■ WB7802

Load Capacity(kg):150  
Own Weight(kg):18.8  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:6.50-8  
L/H/C(mm):1530x590x565  
A/B/h(mm):1015x680x335

■ WH7804

Load Capacity(kg):150  
Own Weight(kg):19.7  
Water capacity(L):110  
Sand Capacity(CBF):7  
Wheel:6.50-8  
L/H/C(mm):1540x620x515  
A/B/h(mm):1015x680x335

■ WB8606 (WB8603S)

Load Capacity(kg):180  
Own Weight(kg):20  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:650-8  
L/H/C(mm):1500x565x510  
A/B/h(mm):965x705x350

■ WB8612

Load Capacity(kg):150  
Own Weight(kg):19  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:6.50-8  
L/H/C(mm):1510x605x590  
A/B/h(mm):998x715x335



■ WB8633

Load Capacity(kg):180  
Own Weight(kg):20  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:650-8  
L/H/C(mm):1530x600x530  
A/B/h(mm):1005x710x300



■ WH8802

Load Capacity(kg):160  
Own Weight(kg):17.6  
Water capacity(L):120  
Sand Capacity(CBF):8  
Wheel:16" x4"  
L/H/C(mm):1540x470x565  
A/B/h(mm):1105x850x400



■ WB9200

Load Capacity(kg):100  
Own Weight(kg):11.6  
Water capacity(L):58  
Sand Capacity(CBF)4  
Wheel:4.00-6  
L/H/C(mm):1420x562x490  
A/B/h(mm):955x710x185



■ WH9600

Load Capacity(kg):180  
Own Weight(kg):20.2  
Water capacity(L):215  
Sand Capacity(CBF):10  
Wheel:16" x4"  
L/H/C(mm):1575x575x540  
A/B/h(mm):1100x885x478



■ WB3038 (TC3038SP)

Load Capacity(kg):200  
Own Weight(kg):26  
Water capacity(L):  
Sand Capacity(CBF):  
Wheel:3.50-4  
L/H/C(mm):1200x1060x765  
A/B/h(mm):985 x 755 x 240



■ WH9600-1

Load Capacity(kg):180  
Own Weight(kg):20.9  
Water capacity(L):140  
Sand Capacity(CBF):10  
Wheel:16" x4"  
L/H/C(mm):1575x575x540  
A/B/h(mm):1100x885x478



■ WB9400

Load Capacity(kg):100  
Own Weight(kg):13.7  
Water capacity(L):58  
Sand Capacity(CBF):4  
Wheel:14" x4"  
L/H/C(mm):1545x450x525  
A/B/h(mm):955x710x185







■ WB3039 (TC3080PL)

Load Capacity(kg):300  
Own Weight(kg):37.3  
Water capacity(L):  
Sand Capacity(CBF):  
Wheel:4.80/4.00-8  
L/H/C(mm):1500x935x745  
A/B/h(mm):1215 x 930 x 295



■ WB3082 (TC3082)

Load Capacity(kg):200  
Own Weight(kg):19.6  
Water capacity(L):  
Sand Capacity(CBF):8  
Wheel:3.50-8  
L/H/C(mm):1430x615x770  
A/B/h(mm):985x755x240



■ WB3083 (TC3083)

Load Capacity(kg):260  
Own Weight(kg):28.6  
Water capacity(L):  
Sand Capacity(CBF):10  
Wheel:400-8  
L/H/C(mm):1645x670x935  
A/B/h(mm):1215x930x295

■ WB3087 (TC3087)

Load Capacity(kg):150  
Own Weight(kg):22  
Water capacity(L):180  
Sand Capacity(CBF):7  
Wheel:400-8  
L/H/C(mm):1415x590x430  
A/B/h(mm):1145x715x355



■ WB3089 (TC3089)

Load Capacity(kg):150  
Own Weight(kg):21  
Water capacity(L):260  
Sand Capacity(CBF):12  
Wheel:20" x2.125"  
L/H/C(mm):1440x590x430  
A/B/h(mm):1215x870x440



■ WB3090 (TC3090)

Load Capacity(kg):150  
Own Weight(kg):26  
Water capacity(L):260  
Sand Capacity(CBF):12  
Wheel:650-8  
L/H/C(mm):1450x605x840  
A/B/h(mm):1215x870x440



■ WB6608 (WB6608H)

Load Capacity(kg):220  
Own Weight(kg):22.2  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:4.00-8  
L/H/C(mm):1465x520x550  
A/B/h(mm):980x633x296



■ WB8604

Load Capacity(kg):200  
Own Weight(kg):23.7  
Water capacity(L):102  
Sand Capacity(CBF):7  
Wheel:6.50-8  
L/H/C(mm):1535x480x545  
A/B/h(mm):980x633x296



■ WB8611

Load Capacity(kg):150  
Own Weight(kg):20  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1500x505x565  
A/B/h(mm):980x633x296



■ WB8614

Load Capacity(kg):200  
Own Weight(kg):22  
Water capacity(L):102  
Sand Capacity(CBF):7  
Wheel:6.50-8  
L/H/C(mm):1515x525x520  
A/B/h(mm):980x633x296



■ WH4401

Load Capacity(kg):100  
Own Weight(kg):12  
Water capacity(L):66  
Sand Capacity(CBF):4  
Wheel:14" x4"  
L/H/C(mm):1445x465x550  
A/B/h(mm):920x690x185



■ WH4402

Load Capacity(kg):100  
Own Weight(kg):12.5  
Water capacity(L):58  
Sand Capacity(CBF):4  
Wheel:4.00-8  
L/H/C(mm):1355x573x580  
A/B/h(mm):920x690x185





■ WH4405



■ WH5200



■ WH5201



■ WH5400



■ WH5401



■ WH6200

## ■ WH4405

Load Capacity(kg):100  
Own Weight(kg):11.3  
Water capacity(L):55  
Sand Capacity(CBF):4  
Wheel:4.00-8  
L/H/C(mm):1435x510x490  
A/B/h(mm):800x647x215

## ■ WH5201

Load Capacity(kg):130  
Own Weight(kg):12.6  
Water capacity(L):61  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1450x488x498  
A/B/h(mm):940x710x200

## ■ WH5401

Load Capacity(kg):160  
Own Weight(kg):12.5  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:14" x4"  
L/H/C(mm):1440x465x580  
A/B/h(mm):895x645x235

## ■ WH5200

Load Capacity(kg):160  
Own Weight(kg):12.7  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1450x510x520  
A/B/h(mm):895x645x235

## ■ WH5400

Load Capacity(kg):160  
Own Weight(kg):11.7  
Water capacity(L):75  
Sand Capacity(CBF):5  
Wheel:14" x4"  
L/H/C(mm):1440x465x580  
A/B/h(mm):895x645x235

## ■ WH6200

Load Capacity(kg):180  
Own Weight(kg):14.3  
Water capacity(L):97  
Sand Capacity(CBF):5.5  
Wheel:13" x3"  
L/H/C(mm):1510x503x540  
A/B/h(mm):970x665x283



## ■ WH6600

Load Capacity(kg):180  
Own Weight(kg):14.9  
Water capacity(L):97  
Sand Capacity(CBF):5.5  
Wheel:16" x4"  
L/H/C(mm):1500x525x540  
A/B/h(mm):990x690x245



## ■ WH6609 (WH6600A)

Load Capacity(kg):180  
Own Weight(kg):16.3  
Water capacity(L):80  
Sand Capacity(CBF):5.5  
Wheel:16" x4"  
L/H/C(mm):1510x480x525  
A/B/h(mm):990x690x245



■ WH6202



■ WH6404



■ WH6601



■ WH7606



■ WH6602

Load Capacity(kg):160  
Own Weight(kg):15.75  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1490x510x550  
A/B/h(mm):980x633x296



■ WH7611

■ WH6202

Load Capacity(kg):130  
Own Weight(kg):10  
Water capacity(L):58  
Sand Capacity(CBF):5  
Wheel:13" x3"  
L/H/C(mm):1340x540x520  
A/B/h(mm):925x680x190

■ WH6404

Load Capacity(kg):140  
Own Weight(kg):14.3  
Water capacity(L):75  
Sand Capacity(CBF):6  
Wheel:3.50-8  
L/H/C(mm):1340x470x550  
A/B/h(mm):875x595x285

■ WH6601

Load Capacity(kg):160  
Own Weight(kg):16.45  
Water capacity(L):97  
Sand Capacity(CBF):6  
Wheel:16" x4"  
L/H/C(mm):1495x580x540  
A/B/h(mm):975x670x275

■ WH7611

Load Capacity(kg):200  
Own Weight(kg):21  
Water capacity(L):90  
Sand Capacity(CBF):7  
Wheel:4.00-10  
L/H/C(mm):1605x585x645  
A/B/h(mm):1030x675x270



■ WH7800

■ WH7606

Load Capacity(kg):200  
Own Weight(kg):19  
Water capacity(L):97  
Sand Capacity(CBF):6  
Wheel:16" x4"  
L/H/C(mm):1540x520x578  
A/B/h(mm):975x670x275

■ WH7800

Load Capacity(kg):200  
Own Weight(kg):20.7  
Water capacity(L):97  
Sand Capacity(CBF):6  
Wheel:4.50-8  
L/H/C(mm):1580x500x525  
A/B/h(mm):975x670x275





## ■ WH7805

Load Capacity(kg):160  
Own Weight(kg):19.2  
Water capacity(L):102  
Sand Capacity(CBF):7  
Wheel:16" x4"  
L/H/C(mm):1540x515x555  
A/B/h(mm):980x633x296



## ■ WH7808

Load Capacity(kg):160  
Own Weight(kg):20  
Water capacity(L):102  
Sand Capacity(CBF):7  
Wheel:4.00-8  
L/H/C(mm):1510x575x560  
A/B/h(mm):980x633x296



## ■ WB8806

Load Capacity(kg):210  
Own Weight(kg):26.5  
Water capacity(L):120  
Sand Capacity(CBF):8  
Wheel:4.00-8  
L/H/C(mm):1505x580x580  
A/B/h(mm):1000x700x330



## ■ WB4800-1

Load Capacity(kg):220  
Own Weight(kg):30.5  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:4.00-6  
L/H/C(mm):1220x955x435  
A/B/h(mm):980x633x296



## ■ WH8805


Load Capacity(kg) 200  
Own Weight(kg):21  
Water capacity(L):100  
Sand Capacity(CBF):7  
Wheel:4.00-8  
L/H/C(mm):1490x545x520  
A/B/h(mm):980x633x296



■ WB4201



■ WB4204



■ WB4600



■ WB5202

■ WB5202 Load Capacity(kg):130  
Own Weight(kg):11.5  
Water capacity(L):61  
Sand Capacity(CBF):5  
Wheel:13 \* x3 \*  
L/H/C(mm):1430x595x540  
A/B/h(mm):945x715x195

■ WB4201 Load Capacity(kg):150  
Own Weight(kg):10.2  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:13 \* x3 \*  
L/H/C(mm):1400x529x543  
A/B/h(mm):800x580x210

■ WB4204 Load Capacity(kg):120  
Own Weight(kg):9.5  
Water capacity(L):60  
Sand Capacity(CBF):4  
Wheel:4.00-6  
L/H/C(mm):1390x500x570  
A/B/h(mm):830x630x210

■ WB4600 Load Capacity(kg):100  
Own Weight(kg):9.5  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:4.00-8  
L/H/C(mm):1555x435x565  
A/B/h(mm):820x580x210



■ WB5204

Load Capacity(kg):80  
Own Weight(kg):8.8  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:4.00-6  
L/H/C(mm):1270x610x570  
A/B/h(mm):805x605x200



■ WB5206

Load Capacity(kg):130  
Own Weight(kg):9  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:4.00-8  
L/H/C(mm):1255x655x540  
A/B/h(mm):805x605x220



■ WB5207

Load Capacity(kg):120  
Own Weight(kg):11  
Water capacity(L):65  
Sand Capacity(CBF):5  
Wheel:13 \* x3 \*  
L/H/C(mm):1360x570x540  
A/B/h(mm):805x605x220