



■ WB5208

Load Capacity(kg):120
Own Weight(kg):11.4
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.00-7
L/H/C(mm):1430x590x530
A/B/h(mm):790x580x220



■ WB5213

Load Capacity(kg):160
Own Weight(kg):15.3
Water capacity(L):90
Sand Capacity(CBF):5.5
Wheel:4.00-6
L/H/C(mm):1440x582x683
A/B/h(mm):870x675x280



■ WB6202 (WB6200-1B)

Load Capacity(kg):130
Own Weight(kg):11.5
Water capacity(L):63
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1420x565x520
A/B/h(mm):835x675x225



■ WB5219

Load Capacity(kg):80
Own Weight(kg):8.5
Water capacity(L):50
Sand Capacity(CBF):4.5
Wheel:3.50-6
L/H/C(mm):1265x590x545
A/B/h(mm):790x563x218

■ WB6203

Load Capacity(kg):150
Own Weight(kg):9.4
Water capacity(L):58
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1355x620x530
A/B/h(mm):820x660x210

■ WB6204

Load Capacity(kg):120
Own Weight(kg):8.4
Water capacity(L):58
Sand Capacity(CBF):5
Wheel:14" x4"
L/H/C(mm):1290x540x570
A/B/h(mm):800x660x210

■ WB6204-1

Load Capacity(kg):120
Own Weight(kg):10.6
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1350x605x540
A/B/h(mm):820x660x210

■ WB6204 (WB6204R)

Load Capacity(kg):160
Own Weight(kg):10.7
Water capacity(L):78
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1430x605x540
A/B/h(mm):890x645x235



■ WB6203



■ WB6204



■ WB6204-1



■ WB6204 (WB6204R)



■ WB6204-2 (WB6204GL)



■ WB6211



■ WB6211-1

■ WB6204-2 (WB6204GL)

Load Capacity(kg):120
Own Weight(kg):9.8
Water capacity(L):85
Sand Capacity(CBF):4.5
Wheel:3.50-8
L/H/C(mm):1330x620x550
A/B/h(mm):810x555x210

■ WB6211

Load Capacity(kg):80
Own Weight(kg):11.5
Water capacity(L):58
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1350x600x375
A/B/h(mm):800x647x215

■ WB6211-1

Load Capacity(kg):80
Own Weight(kg):11.5
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.50-6
L/H/C(mm):1190x580x610
A/B/h(mm):805x605x220

■ WB6418 (WB6404AL)

Load Capacity(kg):160
Own Weight(kg):14.4
Water capacity(L):120
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1475x590x610
A/B/h(mm):925x590x265

■ WB6301 (WB6404TD)

Load Capacity(kg):140
Own Weight(kg):14.5
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1490x570x560
A/B/h(mm):875x595x285

■ WB6302 (WB6404HT)

Load Capacity(kg):120
Own Weight(kg):14.5
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.80/4.00-8
L/H/C(mm):1505x535x575
A/B/h(mm):875x595x285



■ WB6436 (WB6404Z)

Load Capacity(kg):200
Own Weight(kg):14
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.80/4.00-8
L/H/C(mm):1460x575x620
A/B/h(mm):880x595x280



■ WB6417 (WB6404H)

Load Capacity(kg):200
Own Weight(kg):13.4
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.80/4.00-8
L/H/C(mm):1340x700x605
A/B/h(mm):875x595x285



■ WB6418 (WB6404AL)



■ WB6301 (WB6404TD)



■ WB6302 (WB6404HT)



■ WB6406

Load Capacity(kg):150
Own Weight(kg):13.7
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1290x670x520
A/B/h(mm):895x645x235



■ WB6407

Load Capacity(kg):120
Own Weight(kg):13
Water capacity(L):58
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1260x675x570
A/B/h(mm):800x647x215



■ WB6415 (WB6407A)

Load Capacity(kg):120
Own Weight(kg):8.5
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C(mm):1272x635x544
A/B/h(mm):813x650x210



■ WB6416

Load Capacity(kg):150
Own Weight(kg):13
Water capacity(L):90
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1395x520x520
A/B/h(mm):895x570x290

■ WB6410

Load Capacity(kg):130
Own Weight(kg):13.6
Water capacity(L):61
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1240x680x580
A/B/h(mm):840x680x215



■ WB6412

Load Capacity(kg):160
Own Weight(kg):14
Water capacity(L):75
Sand Capacity(CBF):8
Wheel:4.00-8
L/H/C(mm):1440x570x600
A/B/h(mm):895x570x285

■ WB6309 (WB6414T)

Load Capacity(kg):160
Own Weight(kg):14
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:16" x4"
L/H/C(mm):1460x545x565
A/B/h(mm):880x595x280





■ WB6420

Load Capacity(kg):120
Own Weight(kg):10
Water capacity(L):66
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1370x540x625
A/B/h(mm):825x640x255



■ WB6421 (WB6420-II)

Load Capacity(kg):120
Own Weight(kg):13
Water capacity(L):66
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1480x515x590
A/B/h(mm):825x640x255



■ WB6422



■ WB6424



■ WB6306 (WB6424GL)

■ WB6422

Load Capacity(kg):130
Own Weight(kg):14
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1485x605x615
A/B/h(mm):888x565x230

■ WB6424

Load Capacity(kg):120
Own Weight(kg):11.3
Water capacity(L):60
Sand Capacity(CBF):4.5
Wheel:16" x4"
L/H/C(mm):1450x585x600
A/B/h(mm):840x640x230

■ WB6306 (WB6424GL)

Load Capacity(kg):180
Own Weight(kg):13.2
Water capacity(L):120
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1450x565x615
A/B/h(mm):925x590x265



■ WB6307 (WB6424H-1)

Load Capacity(kg):160
Own Weight(kg):13.4
Water capacity(L):72
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1435x610x585
A/B/h(mm):880x595x280



■ WB6308 (WB6424K)

Load Capacity(kg):120
Own Weight(kg):10.6
Water capacity(L):55
Sand Capacity(CBF):4
Wheel:3.50-8
L/H/C(mm):1400x460x575
A/B/h(mm):840x640x230



■ WB9618

Load Capacity(kg):200
Own Weight(kg):13
Water Capacity(L):90L
Sand Capacity(CBF) 6
Wheel:4.00-8
L/H/C(mm):1450x550x620
A/B/h(mm):880x595x280



■ WB6425



■ WB6428



■ WB6430

■ WB6425

Load Capacity(kg):160
Own Weight(kg):13
Water capacity(L):66
Sand Capacity(CBF):4
Wheel:4.00-8
L/H/C(mm):1480x565x565
A/B/h(mm):878x590x240

■ WB6428

Load Capacity(kg):200
Own Weight(kg):16.5
Water capacity(L):75
Sand Capacity(CBF):6
Wheel:3.50-8
L/H/C(mm):1360x465x535
A/B/h(mm):875x595x285



■ WB6431

■ WB6430

Load Capacity(kg):180
Own Weight(kg):16.5
Water capacity(L):120
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1400x515x630
A/B/h(mm):925x590x265

■ WB6432

Load Capacity(kg):160
Own Weight(kg):15.1
Water capacity(L):72
Sand Capacity(CBF):5
Wheel:3.25-8
L/H/C(mm):1390x530x620
A/B/h(mm):875x595x285

■ WB6431

Load Capacity(kg):160
Own Weight(kg):14.4
Water capacity(L):72
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1480x610x615
A/B/h(mm):875x595x285



■ WB6432



■ WB6433

Load Capacity(kg):150
Own Weight(kg):13.9
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1450x545x600
A/B/h(mm):830x670x215



■ WB6438

Load Capacity(kg):120
Own Weight(kg):13.2
Water capacity(L):69
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1375x600x600
A/B/h(mm):860x600x255



■ WB6439

Load Capacity(kg):120
Own Weight(kg):13.5
Water capacity(L):85
Sand Capacity(CBF):4.5
Wheel:4.00-8
L/H/C(mm):1375x580x510
A/B/h(mm):810x555x210



■ WB6440

Load Capacity(kg):160
Own Weight(kg):16
Water capacity(L):120
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1375x580x510
A/B/h(mm):925x590x285



■ WB6607

Load Capacity(kg):160
Own Weight(kg):16
Water capacity(L):97
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1560x650x640
A/B/h(mm):975x670x275



■ WB6610

Load Capacity(kg):160
Own Weight(kg):19
Water capacity(L):97
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1555x530x610
A/B/h(mm):970x665x283



■ WB7201

Load Capacity(kg):160
Own Weight(kg):10.4
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1440x470x570
A/B/h(mm):895x645x235



■ WB7204

Load Capacity(kg):80
Own Weight(kg):8.3
Water capacity(L):78
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C(mm):1310x575x550
A/B/h(mm):895x645x235



■ WH7600

Load Capacity(kg):200
Own Weight(kg):19.4
Water capacity(L):102
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1500x615x545
A/B/h(mm):980x633x296



■ WB7608

Load Capacity(kg):120
Own Weight(kg):11
Water capacity(L):53
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1360x580x610
A/B/h(mm):860x590x240

■ WB7614
(WB7600C)

Load Capacity(kg):180
Own Weight(kg):16
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:400-8
L/H/C(mm):1520x660x610
A/B/h(mm):980x633x296

■ WH7803

Load Capacity(kg):200
Own Weight(kg):21.5
Water capacity(L):102
Sand Capacity(CBF):7
Wheel:6.50-8
L/H/C(mm):1540x600x545
A/B/h(mm):980x633x296



■ WB7613

Load Capacity(kg):180
Own Weight(kg):17.8
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1490x650x630
A/B/h(mm):980x633x265

■ WB8601

Load Capacity(kg):200
Own Weight(kg):22
Water capacity(L):102
Sand Capacity(CBF):7
Wheel:6.50-8
L/H/C(mm):1520x585x600
A/B/h(mm):980x633x296

■ WB8613

Load Capacity(kg):200
Own Weight(kg):20
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1520x575x600
A/B/h(mm):980x633x296



■ WH780



■ WB8601



■ WB8613



■ PH151

weight(kg): 8.7
Load Capacity(kg): 100
Castor:4*
Body Size (LxWxHxh)(mm):
716x460x808x132.5



■ PH150 (PH151A)

weight(kg): 11.2
Load Capacity(kg): 100
Castor:4*
Body Size (LxWxHxh)(mm):
735x475x820x138



■ PH152

weight(kg): 7.1
Load Capacity(kg): 100
Castor:4*
Body Size (LxWxHxh)(mm):
710x456x823x143



■ PH153

weight(kg): 6.6
Load Capacity(kg): 100
Castor:4*
Body Size (LxWxHxh)(mm):
725x415x830x240



■ PH148 (PH153A)

weight(kg): 6.8
Load Capacity(kg): 100
Castor:4*
Body Size (LxWxHxh)(mm):
725x415x830x240




weight(kg): 6.8
Load Capacity(kg): 100
Castor:4"
Body Size (LxWxHxh)(mm):
725x415x830x230

■ PH149 (PH153B)



weight(kg): 7.4
Load Capacity(kg): 100
Castor:4"
Body Size (LxWxHxh)(mm):
725x415x230x956

■ PH154



weight(kg): 8.5
Load Capacity(kg): 60
Castor:4"
Body Size (LxWxHxh)(mm):
671x432x806x145

■ PH155



weight(kg): 8.7
Load Capacity(kg): 100
Castor:4"
Body Size (LxWxHxh)(mm):
725x415x830x240

■ PH156



weight(kg): 8.4
Load Capacity(kg): 130
Castor:4"
Body Size (LxWxHxh)(mm):
735x475x820x139.5



■ PH158



weight(kg): 35.5
Load Capacity(kg): 350
Castor:10"
Body Size (LxWxHxh)(mm):
1200x600x1140x340

■ PH197



■ PH300
weight(kg): 16
Load Capacity(kg): 300
Castor:5"
Body Size (LxWxHxh)(mm):
916x616x863x209

■ PH301

weight(kg): 21
Load Capacity(kg): 300
Castor:8"
Body Size (LxWxHxh)(mm):
915x615x915x290



■ PH4801-2
weight(kg): 21.5
Load Capacity(kg):
Castor:6"
Body Size (LxWxH)(mm):
1200x600x1378



■ SC1350

weight(kg): 17.5
Load Capacity(kg): 100
Castor:5"
Body Size (LxWxH)(mm):
838x410x825



■ SC1351

weight(kg): 18.3
Load Capacity(kg): 100
Castor:5"
Body Size (LxWxH)(mm):
838x410x825



■ SC1250

weight(kg): 13.2
Load Capacity(kg): 100
Castor:5"
Body Size (LxWxH)(mm):
838x410x825



■ SC1240

weight(kg): 10.6
Load Capacity(kg): 100
Castor:4"
Body Size (LxWxH)(mm):
838x410x782



■ SC2350

weight(kg): 25.1
Load Capacity(kg): 150
Castor:5"
Body Size (LxWxH)(mm):
1009x626x825



■ SC2250

weight(kg): 18.5
Load Capacity(kg): 150
Castor:5"
Body Size (LxWxH)(mm):
1009x626x825



■ SC2351

weight(kg): 23.5
Load Capacity(kg): 150
Castor:5"
Body Size (LxWxH)(mm):
1009x626x825

weight(kg): 15.6
Load Capacity(kg): 120
Castor:4"
Body Size (LxWxH)(mm):
735x475x865



weight(kg): 13.8
Load Capacity(kg): 120
Castor:4"
Body Size (LxWxH)(mm):
735x475x865



weight(kg): 17.5
Load Capacity(kg): 120
Castor:4"
Body Size (LxWxH)(mm):
735x475x865



■ **SC5240**
weight(kg): 12.3
Load Capacity(kg): 100
Castor:4"
Body Size (LxWxH)(mm):
768x415x866



■ **SC5241**
weight(kg): 11.8
Load Capacity(kg): 100
Castor:4"
Body Size (LxWxH)(mm):
755x415x875



■ **SC5242**
weight(kg): 11.4
Load Capacity(kg): 100
Castor:4"
Body Size (LxWxH)(mm):
755x415x875



■ **SC6341**
weight(kg): 24
Load Capacity(kg): 200
Castor:4"
Body Size (LxWxH)(mm):
920x465x1230

■ SC5243

weight(kg): 10.8
Load Capacity(kg): 100
Caster:4"
Body Size (LxWxH)(mm):
755x415x875



■ SC5244

weight(kg): 12.7
Load Capacity(kg): 100
Caster:4"
Body Size (LxWxH)(mm):
768x415x910



■ SC5340

weight(kg): 16
Load Capacity(kg): 100
Caster:4"
Body Size (LxWxH)(mm):
768x415x866



■ SC5341

weight(kg): 17.8
Load Capacity(kg): 100
Caster:4"
Body Size (LxWxH)(mm):
755x415x875



■ SC5342

weight(kg): 13.5
Load Capacity(kg): 100
Caster:4"
Body Size (LxWxH)(mm):
755x415x875



■ HT1105 (HT1105B)

Weight(kg):5.3
Load Capacity(kg):90
Solid Tyre:6"x1.5"
L/W/H(mm):1110x400x408



■ HT1312

Weight(kg):16.2
Load Capacity(kg):75
Solid Tyre:6.5"x1.75"
L/W/H(mm):1160x605x780



HT1317 (HT1310A) ■



HT1311 (HT1310B) ■



■ HT1313 (HT1312A)

Weight(kg):14.5
Load Capacity(kg):75
Solid Tyre:6.5"x1.75"
L/W/H(mm):1160x605x795



HT1102 ■



HT1103 ■

■ HT1317 (HT1310A)

Weight(kg):20.4
Load Capacity(kg):150
Solid Tyre:6.5"x1.75"
L/W/H(mm):1300x517x595

■ HT1311 (HT1310B)

Weight(kg):18.8
Load Capacity(kg):120
Solid Tyre:6.5"x1.75"
L/W/H(mm):1300x517x595

■ HT1102

Weight(kg):6.3
Load Capacity(kg):30
Solid Tyre:6"x1.25"
L/W/H(mm):1004x403x310

■ HT1103

Weight(kg):6.2
Load Capacity(kg):40
Solid Tyre:6"x1.25"
L/W/H(mm):1004x403x310



HT1545
Weight(kg):9.6
Load Capacity(kg):150
Solid Tyre:8"x2"
L/W/H(mm):1180x470x435



HT1560
Weight(kg):7
Load Capacity(kg):80
Solid Tyre:8"x1.75"
L/W/H(mm):1000x460x355



HT1428
Weight(kg):11.2
Load Capacity(kg):100
Pneumatic Tyre:3.00-4
L/W/H(mm):1130(773)495x562(300)



HT1426
Weight(kg):12
Load Capacity(kg):100
Pneumatic Tyre:3.00-4
L/W/H(mm):1142(790)x422x524



HT1562 (HT1561A)
Weight(kg):4.4
Load Capacity(kg):60
Solid Tyre:6"x1.5"
L/W/H(mm):1000x450x320



HT1429 (HT1428AL)
Weight(kg):7.15
Load Capacity(kg):100
Pneumatic Tyre:3.00-4
L/W/H(mm):1115x525x450



HT1564 (HT1561-1)
Weight(kg):5.1
Load Capacity(kg):120
Solid Tyre:7"x1.75"
L/W/H(mm):1080x445x340



HT1563
Weight(kg):8.5
Load Capacity(kg):100
Solid Tyre:8"x2"
L/W/H(mm):1003x425x369





HT1583
Weight(kg):11
Load Capacity(kg):100
Solid Tyre:8"x2"
L/W/H(mm):1120x530x405



HT1585
Weight(kg):10.5
Load Capacity(kg):180
Solid Tyre:8"x2"
L/W/H(mm):1155x565x640



HT1805
Weight(kg):9.7
Load Capacity(kg):180
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1170x550x460



HT1815
Weight(kg):10.5
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1310x550x460



HT1584
Weight(kg):11.5
Load Capacity(kg):120
Solid Tyre:8"x2"
L/W/H(mm):1110x550x430



HT1596
Weight(kg):10
Load Capacity(kg):120
Solid Tyre:8"x2"
L/W/H(mm):1120x470x375



HT1561
Weight(kg):6.4
Load Capacity(kg):80
Solid Tyre:8"x1.75"
L/W/H(mm):1000x456x362



HT1812
Weight(kg):10.6
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1255x530x444



HT1822 (HT1827A)
Weight(kg):14.5
Load Capacity(kg):180
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1100x580x815



HT1826 (HT1827AN)
Weight(kg):11
Load Capacity(kg):180
Pneumatic Tyre:3.00-4
L/W/H(mm):1115x520x470(840)



HT1830
Weight(kg):9.8
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1130x555x425



HT1820
Weight(kg):12.2
Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1280x525x480



HT1829 (HT1830A)
Weight(kg):12.7
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1120x535x435



HT1823
Weight(kg):15
Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1275x614x560



HT1827
Weight(kg):15.5
Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1249x650x578



■ HT1832



■ HT1842



■ HT1849

■ HT1832

Weight(kg):10.5
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1170x465x490

■ HT1842

Weight(kg):14.2
Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1450x550x460

■ HT1849

Weight(kg):10.1
Load Capacity(kg):180
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1120x522x460

■ HT1860

Weight(kg):11
Load Capacity(kg):100
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1225x506x480



■ HT1861

Weight(kg):11.2
Load Capacity(kg):100
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1290x506x480



HT1862

HAND TROLLEY

■ HT1862

Weight(kg):12.1
Load Capacity(kg):100
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1295x508x480

■ HT1863

Weight(kg):14
Load Capacity(kg):100
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1240x510x465

■ HT1864

Weight(kg):20.6
Load Capacity(kg):120
Pneumatic Tyre:4.10/3.50-4
L/W/H(mm):1355x505x540



HT1863



HT1864



HT1894
Weight(kg):11.6
Load Capacity(kg):200
Pneumatic Tyre:3.00-4
L/W/H(mm):1200x595x670



HT1896
Weight(kg):13.5
Load Capacity(kg):200
Pneumatic Tyre:3.50-4
L/W/H(mm):1280x550x495



HT1893
Weight(kg):11.6
Load Capacity(kg):200
Pneumatic Tyre:3.00-4
L/W/H(mm):1200x595x670



HT1897 (HT1892M)
Weight(kg):10.9
Load Capacity(kg):150
Pneumatic Tyre:3.00-4
L/W/H(mm):1120x570x488

HT1897
(HT1892M)



HT1878
Weight(kg):7.1
Load Capacity(kg):110
Pneumatic Tyre:3.00-4
L/W/H(mm):1180x525x500



HT1887
Weight(kg):6.2
Load Capacity(kg):120
Pneumatic Tyre:8"x2.5"
L/W/H(mm):1180x450x440

HT1866
Weight(kg):13.2
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1196x605x475



HT1940
Weight(kg):16
Load Capacity(kg):150
Solid Tyre:10"x2.5"
L/W/H(mm):1114x517x448





HT2331

Weight(kg):9.5
Load Capacity(kg):150
Pneumatic Tyre:2.50-4
L/W/H(mm):1030x450x450



HT2332

Weight(kg):12.8
Load Capacity(kg): 200
Pneumatic Tyre:3.50-4
L/W/H(mm):1120x495x550



HT2333

Weight(kg):14.8
Load Capacity(kg): 200
Pneumatic Tyre:3.50-4
L/W/H(mm):1120x495x550



HT2339

Weight(kg):12.3
Load Capacity(kg):150
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1140x520x470



HT2401

Weight(kg):15.6
Load Capacity(kg): 270
Pneumatic Tyre:13"x4"
L/W/H(mm):1308x565x590



HT2402

Weight(kg):14.5
Load Capacity(kg): 300
Pneumatic Tyre:13"x4"
L/W/H(mm):1308x565x590



HT2400

Weight(kg):14.7
Load Capacity(kg): 270
Pneumatic Tyre:13"x4"
L/W/H(mm):1308x630x550



HT2500

Weight(kg):9.4
Load Capacity(kg): 120
Pneumatic Tyre:3.00-4
L/W/H(mm):1170x476x510



HT2342

Weight(kg):15.8
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1180x530x520



■ **HT5577**
Weight(kg):19
Load Capacity(kg):200
Solid Tyre:6.5"x1.75"
L/W/H(mm):1210x550x600



■ **HT2504 (HT2500AC)**
Weight(kg):10.1
Load Capacity(kg): 120
Pneumatic Tyre:3.00-4
L/W/H(mm):1185x504x535



■ **HT8001**
Weight(kg):10.5
Load Capacity(kg):120
Solid Tyre:6.5"x1.75"
L/W/H(mm): 1270x515x640(1020)



■ **HT2513 (SVK250)**
Weight(kg):11.2
Load Capacity(kg):120
Pneumatic Tyre:3.00-4
L/W/H(mm): 1120x500x455



■ **HT2516 (HT2500B-1)**
Weight(kg):10
Load Capacity(kg): 150
Pneumatic Tyre:3.00-4
L/W/H(mm):1115x535x550



■ **HT2511 (HT2500C-1)**
Weight(kg):10.2
Load Capacity(kg):150
Pneumatic Tyre:3.00-4
L/W/H(mm):1090x510x540



■ **HT2502**
Weight(kg):10.5
Load Capacity(kg):180
Pneumatic Tyre:3.00-4
L/W/H(mm):1170x495x510