



TC1800

Own Weight(kg):14
Load Capacity(kg):150
Wheel:3.50-4
Body Size (LxWxH)(mm):
995x495x865



TC2145 (MH2145)

Own Weight(kg):17.3
Load Capacity(kg):250
Body Size (LxWxH)(mm):
930x505x510/895
Wheel:10 x 3.50-4



TC1801

Own Weight(kg):15
Load Capacity(kg):150
Wheel:3.50-4
Body Size (LxWxH)(mm):
995x495x865



TC1812 (TC1812M)

Own Weight(kg):17
Load Capacity(kg):100
Wheel:3.00-4
Body Size (LxWxH)(mm):
920x610x980





TC1807

Own Weight(kg):26.5
Load Capacity(kg):250
Wheel:10"x3.5"
Body Size (LxWxH)(mm):
1220x610x330



TC1841 (TC1840A)

Own Weight(kg):28
Load Capacity(kg):300
Wheel:3.50-4
Body Size (LxWxH)(mm):
1865x520x570



TC1831

Own Weight(kg):14
Load Capacity(kg):150
Wheel:3.50-4
Body Size (LxWxH)(mm):
990x495x525



TC1840

Own Weight(kg):37
Load Capacity(kg):700
Wheel:13x5.00-6
Body Size (LxWxH)(mm):
1235x615x1035



TC1840-1

Own Weight(kg):18.6
Load Capacity(kg):250
Wheel:10x3.50-4
Body Size (LxWxH)(mm):
925x475x950



■ TC1803

Own Weight(kg):12.3
Load Capacity(kg): 80
Wheel:13"x3"/3.50-4
Body Size (LxWxH)(mm):
850x570x700



■ TC1834 (TC1803F)

Own Weight(kg):23
Load Capacity(kg): 90
Wheel:13"x3"/3.50-4
Body Size (LxWxH)(mm):
1615x590x700




■ TC1832 (TC1803AL)

Own Weight(kg):11.2
Load Capacity(kg):80
Wheel:13"x3"/3.50-4
Body Size (LxWxH)(mm):
850x570x700



■ PCM180

Own Weight(kg):70
Load Capacity(kg):180
Wheel:10"x1.75"
Body Size (LxWxH)(mm):
1195x730x1395



■ T0500 (TC0506)

Own Weight(kg):5.5
Load Capacity(kg):300
Wheel:3"
Body Size (LxWxH)(mm):
760x460x140



■ PCM125

Own Weight(kg):60
Load Capacity(kg):125
Wheel:10"x1.75"
Body Size (LxWxH)(mm):
1170x730x1235



■ T19 (T20A)

weight(kg):34
Load Capacity(kg):1325
Body Size (LxWxH)(mm):
900x450x1800



■ **WT1001**

Body size(L*W*H):410*510*860mm

Water tube:50m

Q'ty/40'HQ:1044PCS

Wheel diameter:6"



■ **WT1003**

Body size(L*W*H):485*670*990mm

Water tube:100m

Q'ty/40'HQ:425PCS

Wheel size:10"



■ **WT1002**

Body size(L*W*H):410*570*910mm

Water tube:80m

Q'ty/40'HQ:625PCS

Wheel diameter:6"




■ **WT1004**

Body size(L*W*H):355*510*495mm


Water tube:50m

Q'ty/40'HQ:1395PCS




RT-240A

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-240A	1080±5	590±2	760±2	240
COLOR				




RT-240B

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-240B	1080±5	595±2	760±2	240
COLOR				




RT-360A

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-360C	1100±5	700±2	850±3	360
COLOR				




RT-240C

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-240C	1080±5	595±2	760±2	240
COLOR				




RT-240D

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-240D	1080±5	595±2	760±2	240
COLOR				




RT-240E

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-240E	1080±5	595±2	760±2	240
COLOR				




RT-240E

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-240E	1080±5	595±2	760±2	240
COLOR				




RT-120A

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-120	930±5	490±2	550±2	120
COLOR				




RT-120B

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-120B	930±5	490±2	550±2	120
COLOR				




RT-100A

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-100A	780±5	480±2	520±2	100
COLOR				



RT-50A

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-50A	640±5	420±2	480±2	50
COLOR				



RT-50B

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
RT-50B	720±5	420±2	560±2	50
COLOR				



N181



N182



N182DB



N185



N186



N186DB



N187



N188



N188DB



N192



N193



N193DB



N195



N196



N308DB



N309DB



N310



N330DB



N350



N363



N364DB



N366



N380DB



N393DB



N397



N401DB



N404



N406DB



N409DB



N412



N413



N810B



N821DB



N823DB



N824



N827



N829B



N840DB



N841



N844



N848DB



N860B



N862DB



N863



N866



N868DB



N870B



N872B



N873



N875



N877DB



N878DB



N879DB



N880DB



N881DB



N882DB



N883DB



N884DB



N885DB



N1951DB



N1952



N1953



N1961DB



N1965DB



■ PR1200
Dimension:260x85
Hub Length:75mm
Bearing:Φ16



■ PR1401
Dimension:8"(250-4)
Hub Length:38mm
Bearing:Φ16



■ PR1402
Dimension:8"(200-4)
Hub Length:60mm
Bearing:Φ20



■ PR1403
Dimension:8"(250-4)
Hub Length:38mm
Bearing:Φ16



■ PR1404
Dimension:8"(250-4)
Hub Length:56mm
Bearing:Φ16



■ PR1800
Dimension:10x3.5(350-4)
Hub Length:55mm
Bearing:Φ16



■ PR1800-1
Dimension:10x3.5(350-4)
Hub Length:55mm
Bearing:Φ16



■ PR1800-2
Dimension:10x3.5(350-4)
Hub Length:55mm
Bearing:Φ16



■ PR1800-3
Dimension:10x3.5(350-4)
Hub Length:55mm
Bearing:Φ16



■ PR1800-4
Dimension:10x3.5(350-4)
Hub Length:55mm
Bearing:Φ16



■ PR1805
Dimension:300-4(260x85)
Hub Length:70mm
Bearing:Φ20



■ PR1805-1
Dimension:300-4(260x85)
Hub Length:70mm
Bearing:Φ20



■ PR1805-2
Dimension:300-4(260x85)
Hub Length:75mm
Bearing:Φ25



■ PR1805-3
Dimension:300-4(260x85)
Hub Length:75mm
Bearing:Φ20



PR1805-4
Dimension:300-4(260x85)
Hub Length:75mm
Bearing:Φ20



PR1806
Dimension:10"x3.5"(350-4)
Hub Length:56mm
Bearing:Φ16



PR1807
Dimension:350-5
Hub Length:95mm
Bearing:Φ19



PR1808
Dimension:10x3.5(350-4)
Hub Length:56mm
Bearing:Φ16



PR1809
Dimension:14x3.5(350-7)
Hub Length:70mm
Bearing:Φ20



PR1809-1
Dimension:13x4(350-6)
Hub Length:150mm
Bearing:Φ20



PR1809-2
Dimension:13x4(350-6)
Axle:550mm
Bearing:Φ20



PR1809-3
Dimension:13x4(410/350-6)
Hub Length:70mm
Bearing:Φ16



PR2604
Dimension:13x4(400-6)
Hub Length:80mm
Bearing:Φ19



PR2401-1
Dimension:13x3(300-8)
Hub Length:98mm
Bearing:Φ16



PR2602
Dimension:14"x4"(350-8)
Hub Length:88mm
Bearing:Φ16



PR2601
Dimension:14"x4"(350-8)
Hub Length:80mm
Bearing:Φ16



PR2603-1
Dimension:14"x4"(350-8)
Hub Length:75mm
Bearing:Φ16



PR2604
Dimension:14"x4"(350-8)
Hub Length:90mm
Bearing:Φ16



PR3508
Dimension:14"x4"(350-8)
Hub Length:150mm
Bearing:Φ14



PR3508A
Dimension:14"x4"(350-8)
Hub Length:150mm
Bearing:Φ14



PR3000
Dimension:16"x4"(400-8)
Hub Length:70mm
Bearing:Φ16



PR2613
Dimension:16"x4"(400-8)
Hub Length:160mm
Bearing:Φ16



PR2614
Dimension:16"x4"(400-8)
Hub Length:160mm
Bearing:Φ14



PR3001
Dimension:16"x4"(400-8)
Hub Length:78mm
Bearing:Φ16



PR3003
Dimension:16"x4"(400-8)
Hub Length:75mm
Bearing:Φ20



PR3003-1
Dimension:16"x4"(400-8)
Hub Length:75mm
Bearing:Φ16



PR3004
Dimension:16"x4"(400-8)
Hub Length:75mm
Bearing:Φ20



PR3006
Dimension:16"x4"(400-8)
Hub Length:150mm
Bearing:Φ20



PR3006-1
Dimension:13x4(350-6)
Axle:250mm
Bearing:Φ20



PR3011
Dimension:16"x4"(400-8)
Hub Length:125mm
Bearing:Φ16



PR3011-1
Dimension:16"x4"(400-8)
Hub Length:125mm
Bearing:Φ16



PR1819
Dimension:13x500-6
Hub Length:85mm
Bearing:Φ16



PR1819-1
Dimension:13x500-6
Hub Length:85mm
Bearing:Φ16



PR1819-2
Dimension:13x500-6
Hub Length:85mm
Bearing:Φ16



PR1819-3
Dimension:13x500-6
Hub Length:85mm
Bearing:Φ16



PR1819-4
Dimension:13x500-6
Hub Length:100mm
Bearing:Φ20



PR1820
Dimension: 13x600-6
Hub Length: 100mm
Bearing: Φ16



PR3008
Dimension: 16x650-8
Hub Length: 75mm
Bearing: Φ20



PR3009
Dimension: 16x650-8
Hub Length: 85mm
Bearing: Φ25.4



PR3010
Dimension: 16x650-8
Hub Length: 85mm
Bearing: Φ25.4



PR3015
Dimension: 15x600-6
Hub Length: 85mm
Bearing: Φ25.4



PR3015-1
Dimension: 15x600-6
Hub Length: 80mm
Bearing: Φ16



PR3016
Dimension: 15x650-6
Hub Length: 85mm
Bearing: Φ16



PR3017
Dimension: 15x600-6
Hub Length: 85mm
Bearing: Φ16

Tubeless Tire

Tubeless Tire

Tubeless Tire

Tubeless Tire



16x8-7



19x7-8



18x9.5-8



14.5/70-6



FF1805PU
Dimension: 300-4PU(260X85)
Hub Length: 70mm
Bearing: Φ20



FF1805-1PU
Dimension: 300-4PU(260X85)
Hub Length: 70mm
Bearing: Φ20



FF1901PU
Dimension: 10"X3.5"(350-4)
Hub Length: 56mm
Bearing: Φ16



FF1901-1PU
Dimension: 10"X3.5"(350-4)
Hub Length: 56mm
Bearing: Φ16



FF1901-2PU
Dimension:10"X3.5"(350-4)
Hub Length:80mm
Bearing:Φ20



FF1081PU
Dimension:13"X4"(350-6)
Hub Length:102mm
Bearing:Φ14



FF1082PU
Dimension:13"X4"(400-6PU)
Hub Length:100mm
Bearing:Φ16



FF1083PU
Dimension:14"X4"(350-8)
Hub Length:75mm
Bearing:Φ20



FF1087PU
Dimension:14"X4"(350-8)
Hub Length:150mm
Bearing:Φ14



FF1088PU
Dimension:14"X4"(350-8)
Hub Length:86mm
Bearing:Φ14



FF1049PU
Dimension:13"X3"(300-8)
Hub Length:98mm
Bearing:Φ16



FF1050PU
Dimension:13"X3"(325/300-8)
Hub Length:98mm
Bearing:Φ16



FF1051PU
Dimension:13"X3"(300-8PU)
Hub Length:85mm
Bearing:Φ16



FF1052PU
Dimension:13"X3"(300-8PU)
Hub Length:80mm
Bearing:Φ16



FF2103PU
Dimension:400-10
Hub Length:151mm
Bearing:Φ16



FF1050PU
Dimension:16"X4"(400-8)
Hub Length:151mm
Bearing:Φ16



FF2106PU
Dimension:16"X4"(400-8PU)
Hub Length:151mm
Bearing:Φ16



FF2107PU
Dimension:16"X4"(400-8)
Hub Length:95mm
Bearing:Φ16



FF2108PU
Dimension:16"X4"(400-8)
Hub Length:100mm
Bearing:Φ16



FF2109PU
Dimension:16"X4"(400-8)
Hub Length:125mm
Bearing:Φ16



SR1502
Dimension:8"x1.75"
Hub Length:36mm
Bearing:Φ12.7



EW1504
Dimension:8"x2"
Hub Length:54mm
Bearing:Φ12.8



SR1303
Dimension:8"x1.75"
Hub Length:36mm
Bearing:Φ12.7



EW1300
Dimension:8"x2"
Hub Length:44mm
Bearing:Φ16



SR1503
Dimension:8"x1.75"
Hub Length:36mm
Bearing:Φ12.7



EW1904
Dimension:10"x2.75"
Hub Length:44mm
Bearing:Φ16



SR1904
Dimension:10"x1.75"
Hub Length:42mm
Bearing:Φ16



EW1310
Dimension:7"x2.5"
Hub Length:98mm
Bearing:Φ12



SR1512
Dimension:8"x2.2"
Hub Length:57mm
Bearing:Φ16



SR1901
Dimension:10"x2.5"
Hub Length:57mm
Bearing:Φ16



SR2701
Dimension:14"x3.5"
Hub Length:258mm
Bearing:Φ20



EW1501
Dimension:8"x1.75"
Hub Length:50mm
Bearing:Φ16



SR1107
Dimension:5.5"x1"
Hub Length:29mm
Bearing:Φ12.5



SR2500
Dimension:13"x3"
Hub Length:76mm
Bearing:Φ16





250-4



350-4



350-6 350-8 400-8
400-10 500-10 500-12



300-4 400-4



280/250-4



410/350-4



410/350-4



410/350-4



400-8



480/400-8



350-8 350-6
400-6



350x8



350x8



350-8 400-8



350-8 400-8



350-8 400-8



350-5 350-8



11x400-4



13x500-6



16x650-8



15x650-6



18x850-8



13x500-6



15x600-6



15x600-6



18x850-8



PACKAGE





地址：青岛胶南市新华路7号

Add: NO.7, Xinhua Road, jiaonan, Qingdao, China

电话：+86-532-85176136/37/38/39

Tel: +86-532-85176136/37/38/39

传真：+86-532-8176140

Fax: +86-532-8176140