




GRAND-SUN



青島鑫盛昊陽工貿有限公司

QINGDAO GOLDEN GRAND-SUN ENTERPRISE CO.,LTD.

GRAND-SUN ENTERPRISE CO.,LTD.

➤ 3 layers general PVC air hose



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	20	20	20	20	20	17	15
B.P./bar	80	80	60	60	60	50	45
Length	100m	100m	100m	50m	50m	50m	50m

➤ 3 layers matt surface PVC air hose



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	20	20	20	20	20	17	15
B.P./bar	80	80	60	60	60	50	45
Length	100m	100m	100m	50m	50m	50m	50m

➤ 3 layers PVC clear air hose



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	20	20	20	20	20	17	15
B.P./bar	80	80	60	60	60	50	45
Length	100m	100m	100m	50m	50m	50m	50m

➤ 3 layers PVC oxygen&acetylene twin welding hose



I.D.	6mm	8mm	9.5mm	10mm
W.P./bar	20	20	20	20
B.P./bar	80	80	60	60
Length	50m	50m	50m	50m

➤ 3 layers PVC spray hose



I.D.	7.5mm	8mm	8.5mm	10mm	12mm
W.P./bar	30	25	20	20	20
B.P./bar	90	85	80	80	60
Length	100m	100m	100m	50m	50m

➤ 3 layers PVC&rubber air hose(hybrid air hose)



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	20	20	20	20	20	17	15
B.P./bar	80	80	60	60	60	50	45
Length	100m	100m	100m	50m	50m	50m	50m

➤ 5 layers general PVC air hose



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	50	50	40	40	30	25	20
B.P./bar	150	150	120	120	90	75	60
Length	100m	100m	100m	50m	50m	50m	50m

➤ 5 layers matt surface PVC air hose



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	50	50	40	40	30	25	20
B.P./bar	150	150	120	120	90	75	60
Length	100m	100m	100m	50m	50m	50m	50m

➤ 5 layers PVC air hose



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	50	50	40	40	30	25	20
B.P./bar	150	150	120	120	90	75	60
Length	100m	100m	100m	50m	50m	50m	50m

➤ 5 layers PVC oxygen&acetylene twin welding hose



I.D.	6mm	8mm	9.5mm	10mm
W.P./bar	50	50	35	35
B.P./bar	150	150	105	105
Length	50m	50m	50m	50m

➤ 5 layers PVC spray hose



I.D.	7.5mm	8mm	8.5mm	10mm	12mm
W.P./bar	60	60	60	55	50
B.P./bar	180	180	180	170	150
Length	100m	100m	100m	50m	50m

➤ 5 layers PVC&rubber air hose(hybrid air hose)



I.D.	6mm	8mm	9.5mm	10mm	12mm	16mm	19mm
W.P./bar	50	50	40	40	30	25	20
B.P./bar	150	150	120	120	90	75	60
Length	100m	100m	100m	50m	50m	50m	50m

➤ General PVC garden hose



I.D.	12mm	16mm	19mm	25mm
Thickness	1.7-3mm	2-3mm	2-3.5mm	2.5-3.5mm
Length	100m	50m	30m	30m

➤ Heavy duty PVC braided hose



I.D.	6mm	8mm	10mm	12mm	16mm	19mm	25mm	32mm	38mm
Thickness	2.5mm	3mm	3mm	3mm	3mm	3.5mm	3.5mm	4.5mm	4.5mm
Length	100m	100m	100m	50m	50m	50m	30m	30m	30m

➤ Heavy duty PVC layflat hose



I.D.	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
W.P./bar	8	8	8	8	6	5	5
Weight	0.2kg/m	0.27kg/m	0.35kg/m	0.4kg/m	0.43kg/m	0.5kg/m	0.75kg/m

> Heavy duty PVC steel wire hose



I.D.	19mm	25mm	32mm	38mm	50mm	75mm	102mm	127mm	152mm
Thickness	3.5mm	5mm	5mm	5mm	6mm	8mm	8mm	8.5mm	9mm
Weight	0.35kg/m	0.7kg/m	0.9kg/m	1.0kg/m	1.6kg/m	3.3kg/m	4.5kg/m	7kg/m	8.0kg/m

> Heavy duty PVC suction hose



I.D.	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thickness	3mm	4mm	5mm	5mm	5mm	6mm	8mm	12mm	8mm
Weight	0.36kg/m	0.61kg/m	0.91kg/m	1.17kg/m	1.44kg/m	2.06kg/m	3.66kg/m	8.24kg/m	7.05kg/m

> Light duty PVC braided hose



I.D.	6mm	8mm	10mm	12mm	16mm	19mm	25mm	32mm	38mm
Thickness	1.5mm	1.5mm	1.5mm	1.5mm	2mm	2mm	2.5mm	3.5mm	3.5mm
Length	100m	100m	100m	50m	50m	50m	30m	30m	30m

> Light duty PVC layflat hose



I.D.	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
W.P/bar	5	4	4	3	3	2.6	2.6	2	2
Weight	0.14kg/m	0.16kg/m	0.18kg/m	0.21kg/m	0.3kg/m	0.35kg/m	0.52kg/m	0.86kg/m	1.6kg/m

> Light duty PVC steel wire hose



I.D.	19mm	25mm	32mm	38mm	50mm	75mm	102mm	127mm	152mm
Thickness	2mm	2mm	2.5mm	2.5mm	3mm	3mm	4mm	6mm	6mm
Weight	0.22kg/m	0.25kg/m	0.4kg/m	0.5kg/m	0.7kg/m	1.4kg/m	2.5kg/m	4.5kg/m	6kg/m

> Light duty PVC suction hose



I.D.	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thickness	2mm	2mm	2mm	2mm	3mm	3mm	4mm	6mm	7mm
Weight	0.20kg/m	0.29kg/m	0.34kg/m	0.44kg/m	0.84kg/m	0.99kg/m	1.79kg/m	3.97kg/m	6.14kg/m

> Matt surface PVC garden hose



I.D.	12mm	16mm	19mm	25mm
Thickness	1.7-3mm	2-3mm	2-3.5mm	2.5-3.5mm
Length	100m	50m	30m	30m

> PVC clear garden hose



I.D.	12mm	16mm	19mm	25mm
Thickness	1.7-3mm	2-3mm	2-3.5mm	2.5-3.5mm
Length	100m	50m	30m	30m

> PVC clear hose



I.D.	5mm	6mm	8mm	10mm	12mm	16mm	19mm	25mm	32mm	38mm
Thickness	1mm	1mm	1mm	1mm	1.5mm	1.5mm	1.5mm	2mm	2mm	3mm
Length	100m	100m	100m	100m	50m	50m	50m	30m	30m	30m

> PVC clear layflat hose



I.D.	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
W.P/bar	5.5	5	5	5	4	4	3.5	3	3
Weight	0.17kg/m	0.21kg/m	0.27kg/m	0.3kg/m	0.36kg/m	0.4kg/m	0.62kg/m	0.97kg/m	1.8kg/m

➤ PVC fiber reinforced suction hose



I.D.	2	2-1/2"	3"	4"	5"	6"	8"
Thickness	7.5mm	8.5mm	8.5mm	9.5mm	7.5mm	15mm	15.5mm
Weight	1.1kg/m	1.6kg/m	1.85kg/m	2.6kg/m	3.9kg/m	5.9kg/m	8.35kg/m

➤ PVC level pipe



I.D.	6mm	8mm	10mm
Thickness	1mm	1mm	1.5mm
Length	100mm	100mm	100mm

➤ PVC mono-layer flexible hose



I.D.	6mm	8mm	10mm	12mm	19mm	25mm	32mm
Thickness	2.5mm	3mm	3mm	3mm	3.5mm	4mm	5mm
Length	100m	100m	100m	50m	50m	50m	50m

➤ PVC single hose



I.D.	5mm	6mm	8mm	10mm	12mm	16mm	19mm	25mm	32mm	38mm
Thickness	1mm	1mm	1mm	1mm	1.5mm	1.5mm	1.5mm	2mm	2mm	3mm
Length	100m	100m	100m	100m	50m	50m	50m	30m	30m	30m

➤ PVC steel wire with fiber composite hose



I.D.	25mm	32mm	38mm	50mm	75mm	102mm
Thickness	3.5mm	3mm	4.5mm	5.5mm	7.5mm	8mm
Length	50m	50m	50m	30m	30m	20m

> PVC&rubber garden hose




I.D.	12mm	16mm	19mm	25mm
Thickness	1.7-3mm	2-3mm	2-3.5mm	2.5-3.5mm
Length	100m	50m	30m	30m

> Standard PVC braided hose



I.D.	6mm	8mm	10mm	12mm	16mm	19mm	25mm	32mm	38mm
Thickness	2mm	2mm	2mm	2mm	2.5mm	2.5mm	3mm	4mm	4mm
Length	100m	100m	100m	50m	50m	50m	30m	30m	30m

> Standard PVC layflat hose



I.D.	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
W.P/bar	5.5	5	5	5	4	4	3.5	3	3
Weight	0.17kg/m	0.21kg/m	0.27kg/m	0.3kg/m	0.36kg/m	0.4kg/m	0.62kg/m	0.97kg/m	1.8kg/m

> Standard PVC steel wire hose




I.D.	19mm	25mm	32mm	38mm	50mm	75mm	102mm	127mm	152mm
Thickness	2.5mm	3mm	3.5mm	3.5mm	4mm	5mm	6.5mm	7.5mm	8mm
Weight	0.25kg/m	0.38kg/m	0.6kg/m	0.7kg/m	1.2kg/m	2.1kg/m	3.8kg/m	5.5kg/m	7.0kg/m

> Standard PVC suction hose






I.D.	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thickness	2.5mm	3mm	3.5mm	3.5mm	4mm	4.5mm	5.5mm	8mm	7.5mm
Weight	0.29kg/m	0.45kg/m	0.62kg/m	0.8kg/m	1.14kg/m	1.5kg/m	2.45kg/m	5.4kg/m	6.6kg/m


➤ ARTIFICIAL GRASS



➤ ARTIFICIAL GRASS




➤ ARTIFICIAL GRASS



拉伸测试



抗磨损测试






size	layers	metal parts thickness	MDF thickness	N.W.	load capacity/layer
183*90*40cm with support	5	0.6mm	4mm	12.00kgs	175kgs
183*90*45cm	5	1.0mm	5mm	17.90kgs	265kgs
183*120*45cm	5	1.2mm	6mm	27.80kgs	265kgs
180*90*90*40*40cm	5	0.7mm	5mm	24.80kgs	175kgs



size	layers	metal parts thickness	MDF thickness	N.W.	load capacity/layer
180*90*30cm	5	0.7mm	5mm	12.80kgs	175kgs
180*90*40cm	5	0.6mm	4mm	12.40kgs	175kgs
180*90*45cm	5	0.7mm	5mm	16.20kgs	265kgs
180*90*50cm	5	0.7mm	5mm	17.20kgs	265kgs
180*90*60cm	5	0.8mm	5mm	21.60kgs	265kgs
200*90*45cm	5	0.7mm	5mm	16.50kgs	265kgs
150*70*30cm	5	0.6mm	4mm	8.60kgs	150kgs
150*75*30cm	5	0.6mm	4mm	9.00kgs	150kgs
170*70*30cm	5	0.6mm	4mm	9.00kgs	150kgs



size	layers	metal parts thickness	MDF thickness	N.W.	load capacity/layer
180*90*30cm	5	0.7mm	5mm	12.80kgs	175kgs
180*90*40cm	5	0.6mm	4mm	12.40kgs	175kgs
180*90*45cm	5	0.7mm	5mm	16.20kgs	265kgs
180*90*50cm	5	0.7mm	5mm	17.20kgs	265kgs
180*90*60cm	5	0.8mm	5mm	21.60kgs	265kgs
200*90*45cm	5	0.7mm	5mm	16.50kgs	265kgs
150*70*30cm	5	0.6mm	4mm	8.60kgs	150kgs
150*75*30cm	5	0.6mm	4mm	9.00kgs	150kgs
170*70*30cm	5	0.6mm	4mm	9.00kgs	150kgs



TC1840A加高

body size:1130x520x680mm
cage size:965x510x410mm
load capacity:500kgs
pneumatic wheel 10"x3.50-4
N.W./G.W.:20.5/22kgs
Q'ty/40':760pcs/40HC



TC1840加高

body size:1380x620x880mm
cage size:1220x610x480mm
load capacity:600kgs
pneumatic wheel 13"x5.00-6
N.W./G.W.:31/33kgs
Q'ty/40':504pcs/40HC



TC1840改型

body size:1380x620x720mm
cage size:1220x610x325mm
load capacity:700kgs
pneumatic wheel 13"x5.00-6
N.W./G.W.:29/31kgs
Q'ty/40':504pcs/40HC



TC1840A改型

body size:1130x520x550mm
cage size:965x510x250mm
load capacity:500kgs
pneumatic wheel 10"x3.50-4
N.W./G.W.:18/19kgs
Q'ty/40':820pcs/40HC



TC1840A常规

body size:1130x520x550mm
cage size:965x510x250mm
load capacity:300kgs
pneumatic wheel 10"x3.50-4
N.W./G.W.:19/20kgs
Q'ty/40':820pcs/40HC



TC1859

body size:1310x760x740mm
cage size:1160x740x280mm
load capacity:500kgs
pneumatic wheel 13"x5.00-6
N.W./G.W.:26/28kgs
Q'ty/40':320pcs/40HC



TC1841钣金网车

body size:1130x520x550mm
cage size:965x510x250mm
load capacity:350kgs
pneumatic wheel 10"x3.50-4
N.W./G.W.:18/19kgs
Q'ty/40':840pcs/40HC



TC1842钣金小网车

body size:520x460x550mm
cage size:520x460x250mm
load capacity:200kgs
pneumatic wheel 10"x3.50-4
N.W./G.W.:15/16kgs
Q'ty/40':1600pcs/40HC



TC2145

body size:960x510x520mm
load capacity:200kgs
pneumatic wheel 10"x3.50-4
N.W./G.W.:15.5/17kgs
Q'ty/40':620pcs/40HC



TC3080PL

body size:1760x980x750mm
tray size:1210x940x310mm
load capacity:300kgs
pneumatic wheel 16"x4.00-8
N.W./G.W.:37/38kgs
Q'ty/40':500pcs/40HC




TC1010电焊车

body size:700x400x690mm
load capacity:100kgs
N.W./G.W.:10.8/11.5kgs
Q'ty/40': 1320pcs/20GP



TC1011电焊车

body size:700x400x690mm
load capacity:100kgs
N.W./G.W.:17/18kgs
Q'ty/40': 470pcs/20GP



TC1030木柴车

body size:1060x550x450mm
load capacity:100kgs
solid wheel 8"x2.2"
N.W./G.W.:14/15kgs
Q'ty/40':710pcs/20GP



TC1000摩托车支架

body size:600x490x400mm
load capacity:300kgs
N.W./G.W.:7.8/9.3kgs
Q'ty/40':1150pcs/40HC



TC1040停车柱

body size:110x80x600mm
N.W./G.W.:3.5/4kgs
Q'ty/40':3500pcs/20GP



TC1041停车柱

body size:810x450x240mm
N.W./G.W.:3.8/4.3kgs
Q'ty/40':760pcs/20GP



WB0401

Load Capacity:30kg
Wheel:8x1.75mm
Body Size:
L1030xW525xH730mm
QTY:1400PCS/40'GP



WB0403

Load Capacity:40kg
Wheel:10x3.00-4 Air
Body Size:L1118xW525xH780mm
QTY:1100PCS/40'GP



WB0500

Load Capacity:40kg
Wheel:8x1.75 EVA foam wheel
Body Size:L1330xW780xH590mm
QTY:1100PCS/40'GP



WB0300

Load Capacity:30KG
Wheel:6x1'solid wheel
Size:L500MMxW300mmxH150mm
QTY:5000PCS/40'GP

WB0302

Load Capacity:90kg
Wheel:10x3.00-4 wheel
Body Size:L1580xW730xH290mm
QTY:1100PCS/40'GP



WB0301

Load Capacity:90kg
Wheel:10x3.00-4 wheel
Body Size:L1580xW730xH290mm
QTY:1100PCS/40'GP



WB0400

Load Capacity:30kg
Wheel:8x2 inch
Body Size:L830xW425xH530mm
QTY:1900PCS/40'GP

WB0303

Load Capacity:90kg
wheel:10x3.00-4 wheel
Body Size:L1510xW780xH270mm
QTY:1100PCS/40'GP